

## Clinical Policy: Hyperhidrosis Treatments

Reference Number: WNC.CP.162

Last Review Date: 8/22

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

**Note:** When state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

---

### Description

Hyperhidrosis is defined as excessive sweating beyond a level required to maintain normal body temperature in response to heat exposure or exercise.

### Policy/Criteria

- I. It is the policy of WellCare of North Carolina® that treatment with *iontophoresis* (electrophoresis, Drionic device) is medically necessary when **all** of the following criteria are met:
  - A. Diagnosis of primary hyperhidrosis;
  - B. Member has developed medical complications, such as skin maceration with secondary skin infections; *or* has a significant constant disruption of professional and/or social life (e.g., recurrent changing of clothes, affecting job/social function, etc.) which has occurred because of excessive sweating;
  - C. Is unresponsive or unable to tolerate at least one of the pharmacotherapies prescribed for excessive sweating (e.g., anticholinergics, beta-blockers, or benzodiazepines);
  - D. Failed a 6-month trial of conservative management including the adherent application of aluminum chloride hexahydrate [Drysol by prescription] or topical agents have resulted in a severe rash;
  - E. Has none of the following contraindications:
    1. Cardiac pacemaker;
    2. Cardiac arrhythmias;
    3. Pregnancy (hyperhidrosis often improves during pregnancy);
    4. Metal implants, depending on size and position (may divert the electric current);
    5. Cracked skin near the treatment area.
- II. It is the policy of WellCare of North Carolina® that *endoscopic thoracic sympathectomy* (ETS) for palmar or palmar and axillary hyperhidrosis is medically necessary when **all** of the following criteria are met:
  - A. Meets all of the iontophoresis criteria in I.A-D;
  - B. Has a resting heart rate  $\geq 55$  beats per minute;
  - C. Hyperhidrosis symptoms started at an early age (usually  $< 16$  years), and surgery is requested for a young member (usually  $< 25$  years of age);
  - D. Body mass index  $< 28$ ;
  - E. Reports no sweating during sleep;
  - F. The member is relatively healthy with no significant comorbidities;
  - G. Has persistent and severe primary hyperhidrosis;
  - H. Has failed **one** of the following:
    1. Iontophoresis;
    2. Trial of botulinum toxin for predominantly axillary hyperhidrosis.

## CLINICAL POLICY

### HYPERHIDROSIS TREATMENTS

**III.** It is the policy of WellCare of North Carolina® that *surgical excision of axillary sweat glands* for axillary hyperhidrosis are medically necessary when **all** of the following criteria are met:

- A. Meets all of the iontophoresis criteria in I.A-D;
- B. Has persistent and severe primary hyperhidrosis;
- C. Has failed **one** of the following:
  1. Iontophoresis;
  2. Trial of botulinum toxin.

*Note:* The normal line of medical therapy is:

- Drysol, then botox or topical glycopyrronium for axillary hyperhidrosis
- Drysol, then iontophoresis for palmoplantar hyperhidrosis
- Other treatments are third-line therapies (iontophoresis and surgery for axillary hyperhidrosis, and Botox and surgery for palmoplantar hyperhidrosis).

**IV.** It is the policy of WellCare of North Carolina® that there is insufficient evidence in published peer-reviewed literature to support all other treatments for hyperhidrosis, including, but not limited to, microwave therapy, or liposuction as the sole method of removing axillary sweat glands, are considered **not medically necessary**.

### Background

Hyperhidrosis can be classified as either primary or secondary. Primary focal hyperhidrosis is idiopathic in nature and is defined as excessive sweating induced by sympathetic hyperactivity in selected areas that is not associated with an underlying disease process. The most common locations are underarms (axillary hyperhidrosis), hands (palmar hyperhidrosis), and feet (plantar hyperhidrosis). Primary focal hyperhidrosis is a condition that is characterized by visible, excessive sweating of at least six months' duration without apparent cause. Hyperhidrosis can ruin clothing, produce emotional distress, and lead to occupational disability.

Secondary hyperhidrosis can result from a variety of drugs, such as tricyclic antidepressants, selective serotonin reuptake inhibitors (SSRIs), or underlying diseases/conditions, such as febrile diseases, diabetes mellitus, or menopause. Secondary hyperhidrosis is usually generalized or craniofacial sweating. Secondary gustatory hyperhidrosis is excessive sweating on ingesting highly spiced foods. This trigeminovascular reflex typically occurs symmetrically on scalp or face and predominately over forehead, lips, and nose. Secondary facial gustatory sweating, in contrast, is usually asymmetrical and occurs independently of the nature of the ingested food. This phenomenon frequently occurs after injury or surgery in the region of the parotid gland. A variety of therapies have been investigated for primary hyperhidrosis, including topical therapy with aluminum chloride, iontophoresis, intradermal injections of botulinum toxin type A, endoscopic transthoracic sympathectomy, and surgical excision of axillary sweat glands. Thoracic sympathectomy is an invasive procedure intended to arrest the symptoms of hyperhidrosis. Treatment of secondary hyperhidrosis focuses on the treatment of the underlying cause, such as discontinuing certain drugs or hormone replacement therapy as a treatment of menopausal symptoms.

Microwave energy has been proposed for the treatment of primary axillary hyperhidrosis. The miraDry System (Mirimar Labs, Inc) is an FDA approved device indicated for treatment of primary axillary hyperhidrosis. It is not indicated for treating hyperhidrosis related to other body areas or generalized hyperhidrosis. There is insufficient evidence in published peer-reviewed literature to support the safety and efficacy of microwave energy for the treatment of primary

## CLINICAL POLICY

### HYPERHIDROSIS TREATMENTS

axillary hyperhidrosis. Most of the studies are limited by small sample size with data on long-term health outcomes lacking.

#### Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2021, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

CPT® Codes	Description
11450	Excision of skin and subcutaneous tissue for hidradenitis, axillary; with simple or intermediate repair
11451	Excision of skin and subcutaneous tissue for hidradenitis, axillary; with complex repair
15877*	Suction assisted lipectomy; trunk
15878*	Suction assisted lipectomy; upper extremity
32664	Thoracoscopy, surgical; with thoracic sympathectomy
64802 – 64823	Sympathectomy, sympathetic nerves
97024 NIA	Application of a modality to 1 or more areas; diathermy (eg, microwave)
97033 NIA	Application of a modality to 1 or more areas; iontophoresis, each 15 minutes

\* Considered investigational, not medically necessary when used to report liposuction as the sole method of removing axillary sweat glands.

HCPCS® Codes	Description
No applicable codes.	

#### ICD-10-CM Diagnosis Codes that Support Coverage Criteria

+ Indicates a code(s) requiring an additional character

ICD-10-CM Code	Description
L74.510-L74.519	Primary focal hyperhidrosis
L74.52	Secondary focal hyperhidrosis
R61	Generalized hyperhidrosis

Reviews, Revisions, and Approvals	Reviewed Date	Approval Date
Original approval date	03/21	05/21
Reviewed CPT and ICD-10-CM codes.	10/21	02/22
Annual review. References reviewed and updated. “Experimental/investigational” verbiage replaced in policy statement and background, with descriptive language.	08/22	

## References

1. Cerfolio, R.J., De Campos, J.R., Bryant, A.S., et al. The Society of Thoracic Surgeons expert consensus for the surgical treatment of hyperhidrosis. *Ann Thorac Surg*. 2011;91(5):1642- 1648 doi:10.1016/j.athoracsur.2011.01.105
2. Eisenach, J.H., Atkinson, J.L., Fealey, R.D. Hyperhidrosis: Evolving therapies for a well-established phenomenon. [published correction appears in *Mayo Clin Proc*. 2005 Jun;80(6):828]. *Mayo Clin Proc*. 2005;80(5):657-666. doi:10.4065/80.5.657.
3. Glaser, D.A. The use of botulinum toxins to treat hyperhidrosis and gustatory sweating syndrome. *Neurotox Res*. 2006;9(2-3):173-177. doi:10.1007/BF03033936
4. Glaser, D.A., Coleman, W.P. 3rd, Fan LK, et al. A randomized, blinded clinical evaluation of a novel microwave device for treating axillary hyperhidrosis: the dermatologic reduction in underarm perspiration study. *Dermatol Surg* 2012; ;38(2):185-191. doi:10.1111/j.1524- 4725.2011.02250.x
5. Hong, H.C., Lupin, M., O'Shaughnessy, K.F. Clinical evaluation of a microwave device for treating axillary hyperhidrosis. *Dermatol Surg* 2012; 38(5):728-735. doi:10.1111/j.1524- 4725.2012.02375.x.
6. Hsu, T.H., Chen, Y.T., Tu, Y.K., Li, C.N. A systematic review of microwave-based therapy for axillary hyperhidrosis. *J Cosmet Laser Ther*. 2017;19(5):275-282. doi:10.1080/14764172.2017.1303168.
7. International Hyperhidrosis Society. Hyperhidrosis Treatment Overview. <http://www.sweathelp.org/en/hyperhidrosis-treatments/treatment-overview.html>. Published 2017. Accessed January 4, 2020.
8. Karpinski, R.H.S. Surgical treatment of axillary hyperhidrosis treatment & management. Medscape. <https://emedicine.medscape.com/article/1296530-treatment> Updated February 12, 2019. Accessed December 16, 2021.
9. Lakraj, A.D; Moghimi, N., Jabbari, B. Hyperhidrosis: Anatomy, Pathophysiology and Treatment with Emphasis on the Role of Botulinum Toxins. *Toxins* (Basel). 2013;5(4):821- 840. Published 2013 Apr 23. doi:10.3390/toxins5040821.
10. Oakley, A. Hyperhidrosis. DermNet NZ. <https://dermnetnz.org/topics/hyperhidrosis>. Updated July 2015. Accessed January 4, 2022.
11. Cole, A., Oakley, A. DermNet NZ. <https://dermnetnz.org/topics/iontophoresis>. Updated April 2015. Accessed December 16, 2021.
12. Smith, C.C., Pariser, D. Primary focal hyperhidrosis. UpToDate. [www.uptodate.com](http://www.uptodate.com). Published January 2, 2020. Accessed December 16, 2021.
13. Pariser, D.M., Hebert, A.A., Drew, J., Quiring, J., Gopalan, R., Glaser, D.A.. Topical Glycopyrronium Tosylate for the Treatment of Primary Axillary Hyperhidrosis: Patient-Reported Outcomes from the ATMOS-1 and ATMOS-2 Phase III Randomized Controlled Trials. *Am J Clin Dermatol*. 2019;20(1):135-145. doi:10.1007/s40257-018-0395-0
14. Glaser, D.A., Hebert, A.A., Nast, A., et al. Topical glycopyrronium tosylate for the treatment of primary axillary hyperhidrosis: Results from the ATMOS-1 and ATMOS-2 phase 3 randomized controlled trials. *J Am Acad Dermatol*. 2019 . 2019;80(1):128-138.e2. doi:10.1016/j.jaad.2018.07.002.
15. Sheikh, N.K., Dua, A. Iontophoresis Analgesic Medications. In: StatPearls. Treasure Island (FL): StatPearls Publishing; August 3, 2021. Accessed December 16, 2021. .

## CLINICAL POLICY

### HYPERHIDROSIS TREATMENTS

16. Vannucci, F., Araújo, J.A. Thoracic sympathectomy for hyperhidrosis: from surgical indications to clinical results. *J Thorac Dis.* 2017;9(Suppl 3):S178-S192.  
doi:10.21037/jtd.2017.04.04

#### **North Carolina Guidance**

##### *Eligibility Requirements*

- a. An eligible beneficiary shall be enrolled in either:
  1. the NC Medicaid Program (Medicaid is NC Medicaid program, unless context clearly indicates otherwise); or
  2. the NC Health Choice (NCHC is NC Health Choice program, unless context clearly indicates otherwise) Program on the date of service and shall meet the criteria in this policy.
- b. Provider(s) shall verify each Medicaid or NCHC beneficiary's eligibility each time a service is rendered.
- c. The Medicaid beneficiary may have service restrictions due to their eligibility category that would make them ineligible for this service.
- d. Following is only one of the eligibility and other requirements for participation in the NCHC Program under GS 108A-70.21(a): Children must be between the ages of 6 through 18.

##### *EPSDT Special Provision: Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age*

- a. 42 U.S.C. § 1396d(r) [1905(r) of the Social Security Act]  
Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) is a federal Medicaid requirement that requires the state Medicaid agency to cover services, products, or procedures for Medicaid beneficiary under 21 years of age if the service is medically necessary health care to correct or ameliorate a defect, physical or mental illness, or a condition [health problem] identified through a screening examination (includes any evaluation by a physician or other licensed practitioner).

This means EPSDT covers most of the medical or remedial care a child needs to improve or maintain his or her health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

Medically necessary services will be provided in the most economic mode, as long as the treatment made available is similarly efficacious to the service requested by the beneficiary's physician, therapist, or other licensed practitioner; the determination process does not delay the delivery of the needed service; and the determination does not limit the beneficiary's right to a free choice of providers.

EPSDT does not require the state Medicaid agency to provide any service, product or procedure:

1. that is unsafe, ineffective, or experimental or investigational.
2. that is not medical in nature or not generally recognized as an accepted method of medical practice or treatment.

## CLINICAL POLICY

### HYPERHIDROSIS TREATMENTS

Service limitations on scope, amount, duration, frequency, location of service, and other specific criteria described in clinical coverage policies may be exceeded or may not apply as long as the provider's documentation shows that the requested service is medically necessary "to correct or ameliorate a defect, physical or mental illness, or a condition" [health problem]; that is, provider documentation shows how the service, product, or procedure meets all EPSDT criteria, including to correct or improve or maintain the beneficiary's health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

#### **EPSDT and Prior Approval Requirements**

1. If the service, product, or procedure requires prior approval, the fact that the beneficiary is under 21 years of age does NOT eliminate the requirement for prior approval.
  2. **IMPORTANT ADDITIONAL INFORMATION** about EPSDT and prior approval is found in the *NCTracks Provider Claims and Billing Assistance Guide*, and on the EPSDT provider page. The Web addresses are specified below:  
*NCTracks Provider Claims and Billing Assistance Guide:*  
<https://www.nctracks.nc.gov/content/public/providers/provider-manuals.html>  
*EPSDT provider page:* <https://medicaid.ncdhhs.gov/>
- EPSDT does not apply to NCHC beneficiaries.

#### *Provider(s) Eligible to Bill for the Procedure, Product, or Service*

To be eligible to bill for the procedure, product, or service related to this policy, the provider(s) shall:

- a. meet Medicaid or NCHC qualifications for participation;
- b. have a current and signed Department of Health and Human Services (DHHS) Provider Administrative Participation Agreement; and
- c. bill only for procedures, products, and services that are within the scope of their clinical practice, as defined by the appropriate licensing entity.

#### *Compliance*

Provider(s) shall comply with the following in effect at the time the service is rendered:

- a. All applicable agreements, federal, state and local laws and regulations including the Health Insurance Portability and Accountability Act (HIPAA) and record retention requirements; and
- b. All NC Medicaid's clinical (medical) coverage policies, guidelines, policies, provider manuals, implementation updates, and bulletins published by the Centers for Medicare and Medicaid Services (CMS), DHHS, DHHS division(s) or fiscal contractor(s).

#### *Claims-Related Information*

Provider(s) shall comply with the, NC Tracks Provider Claims and Billing Assistance Guide, Medicaid bulletins, fee schedules, NC Medicaid's clinical coverage policies and any other relevant documents for specific coverage and reimbursement for Medicaid and NCHC:

- a. Claim Type - as applicable to the service provided:  
Professional (CMS-1500/837P transaction)  
Institutional (UB-04/837I transaction)

## CLINICAL POLICY

### HYPERHIDROSIS TREATMENTS

Unless directed otherwise, Institutional Claims must be billed according to the National Uniform Billing Guidelines. All claims must comply with National Coding Guidelines.

- b. International Classification of Diseases and Related Health Problems, Tenth Revisions, Clinical Modification (ICD-10-CM) and Procedural Coding System (PCS) - Provider(s) shall report the ICD-10-CM and Procedural Coding System (PCS) to the highest level of specificity that supports medical necessity. Provider(s) shall use the current ICD-10 edition and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for code description, as it is no longer documented in the policy.
- c. Code(s) - Provider(s) shall report the most specific billing code that accurately and completely describes the procedure, product or service provided. Provider(s) shall use the Current Procedural Terminology (CPT), Health Care Procedure Coding System (HCPCS), and UB-04 Data Specifications Manual (for a complete listing of valid revenue codes) and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for the code description, as it is no longer documented in the policy. If no such specific CPT or HCPCS code exists, then the provider(s) shall report the procedure, product or service using the appropriate unlisted procedure or service code.

#### *Unlisted Procedure or Service*

CPT: The provider(s) shall refer to and comply with the Instructions for Use of the CPT Codebook, Unlisted Procedure or Service, and Special Report as documented in the current CPT in effect at the time of service.

HCPCS: The provider(s) shall refer to and comply with the Instructions For Use of HCPCS National Level II codes, Unlisted Procedure or Service and Special Report as documented in the current HCPCS edition in effect at the time of service

- d. Modifiers - Providers shall follow applicable modifier guidelines.
- e. Billing Units - Provider(s) shall report the appropriate code(s) used which determines the billing unit(s).
- f. Co-payments -  
For Medicaid refer to Medicaid State Plan:  
<https://medicaid.ncdhhs.gov/get-involved/nc-health-choice-state-plan>  
For NCHC refer to NCHC State Plan:  
<https://medicaid.ncdhhs.gov/get-involved/nc-health-choice-state-plan>
- g. Reimbursement - Provider(s) shall bill their usual and customary charges. For a schedule of rates, refer to: <https://medicaid.ncdhhs.gov/>.

### **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health

## CLINICAL POLICY

### HYPERHIDROSIS TREATMENTS

plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.